JUC: 43. 2005 9:38AM

NO. 1363 P. 3

	302	1 3 2003	
•			PTO/SW30 (04-05)
	U.S. Patient and T	Approved for the Ver-	Ough 07/31/2008, CMB 0851-0031 L DEPARTHENT OF COMMERCE
Request		10/727,700	
for	Application Number		
Continued Examination (RCE)	Filing Date	12/04/2003	
Transmittal	First Named Inventor	Zhenen 840	
Address to:	Art Unit	2814	
Mail Stop RCE Commissioner for Patents	Examiner Name	Douglas A. W.	/tie
P.O. Box 1450 Alexandria, VA 22313-1450	Attorney Docket Numb	EX 250	
This is a Request for Continued Examination (RCE) Request for Continued Examination (RCE) precise under 37 C 1995, or to any design application. See Instruction Sheet for Re	under 37 CFR 1.114 of the	above-identific	
Submission required under 37 CFR 1.114 No amendments enclosed with the RCE will be entered in 9 applicant does not what to have any previously filed une enrendment(s).  Previously submitted, if a that Office action is	te: If the RCE is proper, any a- se order in which they were the mered amendment(s) entered, outstanding, any amendments	evicusly that uner d ynless applicant applicant must req	tioned amendments and Instructs otherwise. If past non-entry of such
considered as a submission even if this box is	not checked.		
1. Consider the organisate in the Appeal E	irief or Reply Brief previously f	20d Con	
£ [] Other			
b.  Endosed	_ [7]		
L Amenament/Repty		atton Obschouwe S	Micuel frod
ii. Affidavit(a)/ Declaration(a)	™ Li Other		
2. Miscellaneous Suspension of action on the above-identified	enofice from its constantial united	27 CFR 1.103(d)	fora
2. period of months. (Pedat of suspen	ation shall not exceed 3 morning, Fr	6 WIEW 37 CFR 1.17	(I) secretary
b. Cher			
3. Fees The RCE fee under 37 CFR 1.17(e) to regular The Director is hereby euthorized to charge	ed by 37 CFR 1.114 when the	RCE is fired.	oredit any overpayments, to
a. Deposit Account No. 08-2395	I have enclosed a d	uplicate copy of thi	is short.
L RCE fee required under 37 CFR 1.17()			
E. Edension of time fee (37 CFR 1.135 end	1.17)		
g 00her	<del></del>		
b. Gheck in the amount of 5	endu	ed	
© Payment by credit card (Fern PTD-2018 each	eed)		a Mar. St
WAPURIG: Information on this form may become public. ( card information and enthorization on PTO-2038.	Credit card information abou	d oct he included	2 DO DES TOTAL PROVIDE CITEDA
SIGNATURE OF APPLIC	ANT, ATTORNEY, OR AGEN	TREQUIRED	January 1997
Signature Continue		Registration No.	06/30/2005 47,500
Name (Pist/Type) Rorald J. Corbett			171,000
	OF HAILING OR TRANSMISS	SON	I dissa stall in an cordina
I basely costly that this currence orderes in being depended with the Unadhasmed by Mail Step RCE. Commissioner for Puteria, P. O. Box 14	50, Almandiki, VA 22313-1450 or	and the second s	to the U.S. Patent and Trademark
Office on the sale shown below			
Harme (Print/Type) Majorty Bedfor This colorism of information in regulated by ST CARE 1,114. The information for regulated by ST CARE 1,114.		106/30/2005	which is so the land by the USPTO
This orderion of information to regulated by ST CFR 1,144. The information processes an explanation. Confidentially to governed by SS U.S.C. 5	2 mt 37 GR L11 and L14. Th	s colucion is with	ind to belon 12 mirades to complete,

PAGE 3413 · ECVD AT 7H12605 10:26:27 AH (Eastern DayAght True) · SVR-USPTO-EFXRF-1765 · DHIS-173000 · CSD-377 400 8665 · DURATION (pres-es)-05-30

22/2005 WISE1 00000001 082395 10727709

FC:1801 790.00 DA

Adjustment Date: 09/29/2005 SDIRETA1 07/22/2005 LWISE1 00000001 082395 10727709 01 FC:1801 790.00 CR

AUG. 3. 2005 5:56PM HITT GAINES 972 HITT GAINES 9724808865

NO. 1639

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Zhenan Bao, et al.

275 279 - 5 77 3: 75

Serial No.:

10/727,709

RECEIVED US PATENT & TRADEMACKANTELAN MARK GRINDER

OFF'CE

AUG 0 3 2005

Filed:

December 4, 2003

Title:

ORGANIC FIELD EFFECT TRANSISTORS WITH ACTIVE CHANNELS

FORMED OF DENSIFIED LAYERS

Group Art Unit:

2814

Examiner:

Waising Louie

Mail Stop 16

Director of the US Patent and

Trademark Office P.O. Box 1450

Alexandria, VA 22313-1450

I hereby certify that this correspondence is being the simile transmitted to the Patent and Trademark Office (Fax No. (571) 273-8300) on August 3, 2005

Balko Printed or typed name of person singing the cortificant

8-3-05 Date of Mailing

Signature of person mailing

Sir:

## REQUEST FOR REFUND

On June 30, 2005 we filed an RCE and Foreign Search Information Disclosure Statement via facsimile to the USPTO in connection with the above-referenced case (see Attachment A). As you can see, on our Deposit Account Statement of July 2005 (see Attachment B), we were charged twice for the RCE fee: once on July 12, 2005 and the second time on July 22, 2005. We therefore request that the refund of the second RCE fee of \$790.00 which was withdrawn from the deposit account be refunded to our deposit account 082395.

Respectfully submitted.

HITT GAINES, P.C.

Ronald J. Corbett Reg. No. 47,500

Date: August 3, 2005 Hitt Gaines, P.C. P.O. Box 832570 Richardson, Texas 75083-2570 (972) 480-8800

PAGE 2/17 \* RCVD AT 8/3/2005 6:57:00 PM [Eastern Daylight Time] \* SVR:USPTO-EFXRF-6/25 \* DNIS:2738300 \* CSID:972 480 8865 \* DURATION (mm-ss):05-42

AUG. 3. 2005 5:56PM

HITT GAINES 9724808865

NO. 1639 P. 3

COMMUNICATION RESULT REPORT ( JUN. 30. 2005 9:06AM ) \* \* \*

FAX HEADER 1: HITT GAINES 9724808865 FAX HEADER 2:

TRANSMITTED/STORED : JUN. 30. 2005 9:00AM FILE MODE

OPTION

ADDRESS

RESULT

PAGE

P. 1

1229 MEMORY TX

G3

USPTO

ÔК

13/13

REASON FOR ERROR
E-1) HANG UP OR LINE FAIL
E-3) NO ANSWER OVER

E-4 NO PACSIMILE CONNECTION

RECEIVED CENTRAL FAX CENTER

AUG 0 3 2005

## HITT GAINES, P.C.

Intellectual Property Law & Related Matters

## FACSIMILE TRANSMISSION

TO:

USPTO

Examiner Douglas A. Wille; Art Unit 2814

FAX NO.

(\$71) 273-1721 (direct fax number for Examiner Wille)

FROM:

Ronald J. Corbett

RE:

Serial No.: 10/727,709

Attorney Docket No.: BAO 39

LUCT-125888

DATE:

June 30, 2005

PAGES:

13 (including cover page)

If you do not receive the indicated number of pages, please notify the sender at the telephone number shown below. Thank you,

THE INFORMATION CONTAINED IN THIS FACSIMILE TRANSMISSION IS AN ATTORNEY-CLERKI PRIVILEGED, COMPIDENTIAL COMMUNICATION INTENDED FOR THE EXCLUSIVE USE OF THE INTENDED RECEIVENT NAMED ASCUR. IF YOU ARE NOT THE INTENDED RECEIVENT, OR ARE AN EMPLOYER OR ACENT REPONDED FOR DELIVERING THIS KANSMISSION TO THE INTENDED RECEIVED. YOU ARE BELDEY NOTHING THAT ANY DISEBBURNATION, DISTRIBUTION OR COPYING OF THIS TRANSMISSION IS STRICTLY PROBESTED. IF YOU HAVE RECEIVED THIS TRANSMISSION IS STRICTLY PROBESTED, UNCOUNTY THE EXCHANGES OF THE STRICTLY PROBESTED VILLED NUMBER SHOWN BELOW AND MAIL THE ORIGINAL TRANSMISSION TO THE AUDITED BANGDLATELY REMEMBERS YOU FOR ANY REASONABLE BOOFENER YOU MAY INCUR DOING SO. THANK YOU.

#### MESSAGE:

Please send fax confirmation to: 972-480-8865

If attachment is not legible, please call me at 972-480-8800. Thank you!

Marty Balko (assistant to Ron Corben)

Mailing Address: P.O. Box 832570, Etchardson, Texas 75085-2570 Street Address: Palisades Central II, 2435 North Control Expressway, Suite 1300, Richardson, Texas 76080-2753 U.S.A.
Tols (972) 480-8800 Fax: (972) 480-8865 Erm@hietzalmes.com PTO/SE/97 (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. PEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a callection of Information unless it contains a valid OMB control number.

## Certificate of Transmission under 37 CFR 1.8

I hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office

On\_\_\_\_\_\_\_

Date

- Request for Continued Examination (RCE) Transmittal (pp 1);
- Foreign Search IDS (pp 2) with cited reference; and
- IDS by Applicant (pp 2).

Marty Balloo Signature

Marty Balko

Typed or printed name of person signing Certificate

Note: Each paper must have its own certificate of transmission, or this certificate must Identify each submitted paper.

This collection of information is required by 37 CFR 1.8. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiating is governed by 35 U.S.C. 122 and 37 CFR 1.1. This collection is estimated to take 1.8 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. These will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Pattern and ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

## RECEIVED Central Fax Center

NO. 1639

AUG 0 3 2006

Under the Paperwork Reduction Act of 1995, an persons are the	U.S. Patent and Tred	PTO/SB/30 (D4-0) proved for use through 07/31/2008, OMB 0851-003 larnerk Office; U.S. DEPARTMENT OF COMMERCI
Under the Paperwork Reduction Act of 1895, no persons are request		etion unless it contains a valid OMB control number
for	Application Number	10/727,709
Continued Examination (RCE)	Filing Date	12/04/2003
Transmittal	First Named Inventor	Zhenan Bao
Mail Stop RCE	Art Unit	2814
Commissioner for Patents P.O. Box 1450	Examiner Name	Dougles A. Wille
Alexandria, VA 22313-1450	Attorney Docket Number	BAO 39
This is a Request for Continued Examination (RCE) Request for Continued Examination (RCE) practice under 37 Cl 1995, or to any design application. See Instruction Sheet for RC 1. Submission required under 37 CED	under 37 CFR 1.114 of the ab FR 1.114 does not apply to any usi Es (not to be submitted to the US)	ove-identified application.  The property of the prior to June 8,
amendments enclosed with the RCE will be entered in the applicant does not wish to have any previously filed unen amendment(s).	tered amendment(s) entered, appl	icant must request non-entry of such
a. Previously submitted. If a final Office action is considered as a submission even if this box is	outstanding, any amendments filed not checked.	after the final Office action may be
l. Consider the arguments in the Appeal Br	ief or Reply Brief previously filed o	n
b. 🗹 Enclosed		
l Amendment/Reply	iii. 🗸 Information	Disclosure Statement (IDS)
ii. Affidavil(s)/ Declaration(s)	1. <del>-</del>	
2. Miscellaneous		
a. Suspension of action on the above-identified all period of months. (Period of suspension of months.)	pplication is requested under 37 C on shall not exceed 3 months: Fee under	FR 1.103(c) for a ar 57 CFR 1.17(l) required)
3. Fees The RCE fee under 37 CFR 1.17(e) is required	by 37 CFR 1.114 when the PCE i	o filod
a. Deposit Account No. 08-2395		
i. RCE fee required under 37 CFR 1.17(e)		e copy of this sheet.
ii. Extension of time fee (37 OFR 1.136 and 1.1	× 7)	
III. Other		
b. Check in the amount of \$	enclosed	
c. Payment by credit card (Form PTO-2038 andosed)	•	
WARNING: Information on this form may become public. Cred card information and authorization on PTO-2038.	dit card information should not i	oe included on this form. Provide credit
Signature Signature Signature	T, ATTORNEY, OR AGENT REQU	UIRED
Name Chief	Date 6	129/05 08/30/2005
TOTAL S. OBIDAR	Registr	ation No. 47,500
CERTIFICATE OF R	MAILING OR TRANSMISSION	
addressed for Mail Slop RCE, Commissioner for Patents, P. O. Box 1450. A Office on the date shown below.		stage as first class mail in an envelope transmitted to the U.S. Patent and Tradamark
Mat Ballo		
Ivania (Print 1708) (Mash Polle	Date Ins	/30/2005
This collection of information is required by 37 CFR 1.114. The information to process) an application. Canfidentiality is governed by 35 U.S.C. 122 and individual control of the control	is required to obtain or rotain a benefit	by the public which is to file (and by the USPTO

This collection of intermation is required by 37 GFK 1.114. The shormation is required to obtain or fortain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentially is governed by 35 U.S.C, 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the helikidual case. Any comments on the amount of time you require to complete this form and/or suggestions for roducing this burden, should be sent to the Chick Information Officer, U.S. Patient and ADDRESS. SEND TO: Mail Stop RCE, Commissioner for Patients, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS of you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

RECEIVED CENTRAL FAX CENTER

DOCKET NO. BAO-39

AUG 0 3 2005

**PATENT** 

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Zhenan Bao

Serial No.:

10/727,709

Filed:

December 4, 2003

For:

ORGANIC FIELD EFFECT TRANSISTORS WITH ACTIVE CHANNELS

FORMED OF DENSIFIED LAYERS

Group No.:

2811

Examiner:

Douglas A. Wille

Commissioner for Patents P.O. Box 1450

Alexandria, VA 22313-1450

I hereby certify that this correspondence is being factorials manamitted to the Parent and Trademark Office (Fax No. (703) 672-9305) on June 28, 2005

6-32-05

Date of Mailing

Sir:

## FOREIGN SEARCH INFORMATION DISCLOSURE STATEMENT

In accordance with 37 C.F.R. §1.56 and the provisions of 37 C.F.R. §§1.97 and 1.98 and §609 of the Manual of Patent Examining Procedure, Applicant hereby makes a disclosure of the patents, publications and other information listed below and on the accompanying form IDS by Applicant, which may be potentially material to the patentability of the invention disclosed in the above-referenced application. Pursuant to § 1.97(e) the Applicant hereby states that each item of information contained in the information disclosure statement was cited in a communication from a

foreign patent office in a counterpart foreign application not more than three months prior to the filing of the information disclosure statement.

U.S. Patent No.

Inventor

Date

5,546,889

Wakita, et al.

August 20, 1996

### Other References:

YU-TAITAO, et a. "Structure Evolution of Aromatic-Derivatized Thiol Monolayers on Evaporated Gold", Langmuir, Volume 13, No. 15 (1997), pages 4018-4023.

As attorney for the Applicant, I am signing below on the basis of the information supplied by an individual designated in § 1.56(c).

The Commissioner is hereby authorized to charge any fees or credit any overpayments to Deposit Account No. 08-2395.

Respectfully submitted,

HITT GAINES, P.C.

Ronald J. Corbett

Registration No. 47,500

Date: June 30, 2005

Hitt Gaines, P.C. P.O. Box 832570 Richardson, Texas 75083-2570 (972) 480-8800

PTC/SB/08A (06-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number. Substitute for form 1449/PTO Complete If Known Application Number 10/727,709 INFORMATION DISCLOSURE Filing Date December 4, 2003 First Named Inventor Zhenan Bao STATEMENT BY APPLICANT Art Unit 2811 (Use as many sheets as necessary) Examiner Name Douglas A. Wille Sheet Attorney Docket Number BAO -39 U. S. PATENT DOCUMENTS Examine Initials\* Cita No. Document Number Publication Date MM-DD-YYYY Name of Patentee or Applicant of Cilad Document Pages, Columns, Unea, Where Relevant Passages or Rolcyant Number-Kind Code<sup>3 D immed</sup> Figures Appear US- 5,546,889 08/20/1996 Wakita, et al. ÙS ÜŜ US-US-US-US-U\$ US-Ú9-US US au ŪS. US US US. US US FOREIGN PATENT DOCUMENTS
Publication No. Examiner Initials Cito Foreign Palant Document Name of Patentec or Applicant of Cited Document Pages, Columns, Lines. Where Relevant Passages Date MM-DD-YYYY Country Code<sup>2</sup> Number <sup>4</sup> "Kind Code<sup>3</sup> (If known) Or Relevant Figures Appear ۲ EXAMINER: Initial if reference considered, whether or not elicition is in conformance with MPEP 60s. Draw line through cutation if not in conformance and not considered, include copy of this form with next communication to applicant. \*Applicant's unique citation designation number (optionst). \*See Kircle Codes or USPTO Patent Documents at <a href="https://www.userto.gov">www.userto.gov</a> or MPEP 801.04. \*Enter Office that issued the document, by the two-later code (WPO Standard ST.3). \*For Lapanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. \*Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 (if possible. \*Applicant is to place a check mark have if English language Considered Translation is attached.

This collection of information is required by 97 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to fite (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application from to the USPTO. Time will vary depending upon the individual case. Any comments on this amount of time you require to complete this form and/or suggestions for reducing this builden, should be sort to the Chief Information Officer, U.S. Palent and Traderiate Office, P.O. Box 1450, Alexandria, VA 22313-1450.

The commissioner for Palents, P.O. Box 1450, Alexandria, VA 22313-1450.

PAGE 8/17 \* RCVD AT 8/3/2005 6:57:00 PM [Eastern Daylight Time] \* SVR:USPTO-EFXRF-6/25 \* DNIS:2738300 \* CSID:972 480 8865 \* DURATION (mm-ss):05-42

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-785-9199) and select option 2.

OM8 control number.	Approved for use through 07/31/200 x and Trademark Office; U.S. DEPARTMEN' n of Information unloss it contains a valid ON Complete if Known				OT	(1017h 1449/PT	Substitute (or
	10/727,709	Application Number			~	987 A TI O	INEOE
	December 4, 2003	<b></b>	INFORMATION DISCLOSURE STATEMENT BY APPLICANT				
	Zhenan Bao	First Named Inventor					
	N/A	Art Unit					
	Douglas A. Wille	Examiner Name			_		heet
	BAO -39	Attorney Docket Number	2		$\perp$		

Examiner	Cite	NON PATENT LITERATURE DOCUMENTS	
Initiats*	No.1	the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where a serial symposium.	1
<del></del>	<u> </u>	YU-TAI TAO, et al. "Structure Evolution of Aromatic-Derivatized Thiot Monolayers on Evaporated Gold", Langmuir, Volume 13, No. 15 (1997), pages 4018-4023.	
		·	
			_
	+		

Examiner		
Signature	Date	
*FYAMNICE: 1-11-17	Considered	

\*\*EVAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw sine through citation it not in conformance and not considered, include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optionar). 2 Applicant is to place a check mark here if Engath language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO pathefine, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the cample of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Parent and Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

ff you need assistance in completing the form, call 1-800-PTO-9199 (1-600-785-9199) and select option 2.

4018

Langrow: 1997. 15, 4018-4023

## Structure Evolution of Aromatic-Derivatized Thiol Monolayers on Evaporated Gold

Yu-Tai Tao,\* Chien-Ching Wu, Ji-Yang Eu, and Wen-Ling Lin Institute of Chemistry, Academia Sinies, Taipet, Taiwan, Republic of Chine Kwang-Chen Wu and Chun-haien Chen\*

Department of Chemistry, National Sun Yet-San University, Kachelung, Taiwan 80424, Republic of China

Received Jenuary 31, 1997. In Final Form May 12, 1997

The structure of self-exembled moneleyers of thisphenols (II, benzyl mercepters (III), highenylthdels (III), and 4-hiphenylthesthenethols (IV) on the surface of Au(III) are compared using cyclic voltamentry, reflection absorption intrared spectruscopy, scanning runneling microscopy, ellipsementry and contact angle measurement. The results suggest that benzyl mercepters and 4-hippenylthesthenethols form closely packed and ordered monoleyer, irrespective of the length of a palkery substituent. For thisphenol and hiphenylthiol, a fill of hower surface coverage was formed. A long p-alkery chain (n-Cicilgo) increased the intermolecular interaction and leads to a closer packing within the monoleyer film. The difference is attributed to the interplay between intermolecular interaction and the bond angle preference at the right and appear in the surface of the leads of th

#### Introduction

The self-assembling of organistical on gold to form a manolayer has attracted much actention littly both from the fundamental point of view and from their application prespects. In most applications, structural order and integrity of the film are of major expects. A simple alkanathiol monolayer is one of the most thoroughly studied self-assembled monolayer (SAM) systems. Detailed structural information regarding the packing, orientation, as well as conformation of the molecular chains have been accumulated by various analysical inchrinques. The aromatic-containing monolayer is of importance because many optoelectronic applications involve an aromatic chromophora as the functioning unit Many studies of orbitals containing monolayers or gold have been reported, with the aromatic money as the only major components as a part of a chain or in the presence of other functional groups. 12-17 It has been shown that such molecules anchor on gold substraces predominantly

through the sulfur atam instead of the arometic ring. Nevertheless, a variety of structural details are proposed. It is mised that for the simplest member of the arylitid, thiophenol, the detailed structure has not been unambiguously determined. On the burist of several methods. Sebatani et al. concluded that thiophenol forms peoply defined membeyers. Well-ordered lattice structure was not found by high-impedance scanning tunneling microscopy (STM) for thiophenol monaloyer either. With an increase of the number of arometic moieties, the monologies of the number of arometic moieties, the monologies absorbed interactions. The effect of a pending alkyl chain on the packing is not well understood. The

In this paper we wish to reper our further structural studies for monologous formed by a series of arometic-derivatized thicks, namely, I—IV (Chart 1), on gold in order

\*\*Alsylic published in Advance ACS Abstract, June 13, 1997.

(1) For a general review, see: (a) Ulmen, A. An Introduction in June 13, 1997.

(3) For a general review, see: (a) Ulmen, A. An Introduction in June 13, 1997.

(4) Percer, M. D., Bright, T. S.; Allera, D. L.; Ohidaey, C. E. D. J. An. Chom. Soc. 1927, 126, 3559–3568.

(3) Firsher, F. D., Amery, S.; Lynch, M.; Furtich, T. Langmuir 1987.

(4) Anima, R. G.; Zegerki, B. R.; Dubeis, L. H. J. Am. Chin. Soc. 1983, 109, 763–740.

(5) Sach, C. D.; Troughtm, E. S.; Tan. Y. T.; Evill, J.; Whiterides, C. M.; Nurric, R. G. J. Am. Chem. Soc. 1989, 111, 322–355.

(6) Leibnie, P.; Waitstides, G. M.; Ferlich, A. N.; Tan. Y. T.; Albers, D. ..; Nurm, R. C. J. Am. Chem. Soc. 1991, 111, 7152–7167.

(7) Waitsak, M. W.; Chung, G.; Shine, S. M.; Waits, C. A.; Perter, M. D. J. Am. Chem. Sc., 1992, 13, 299–2278.

(8) Bruch, M. A.; Pemberder, J. E. J. Am. Chem. Sc., 1981, 118, 3623–3637 and 6384–3893.

(8) (9) Survay, L.; Whiterides, G. M. Langmuir 1983, d, 546–865. (b) Dubris, L. H.; Zegerki, B. R.; Nurse, R. G. J. Chem. Phys. 1895, 92, 578–682. (c) Pencer, P.; Elsenberg, P.; Lil. J.; Carpillane, N., III; Jarrasek, S. Scales, G.; Ramarrayaran, T. A.; Ling, K. S. J.; Agranuf 1991, 7, 2012–2015. (d) Sanger, M. G.; Arrase, C. P. J. Chem. Phys. 1895, 92, 578–582. (c) Pencer, P.; Elsenberg, P.; Lil. J.; Carpillane, N., III; Jarrasek, S. Scales, G.; Ramarrayaran, T. A.; Ling, K. S. J.; Agranuf 1991, 7, 2012–2015. (d) Sanger, M. G.; Arrase, M. D. J. Am. Chem. Soc. 1881, 113, 2808–2610.

(5) A. Sander, M. C. A.; Ernich, E. L.; Porter, M. D. J. Am. Chem. Soc. 1881, 113, 2808–2610.

(6) Laidway, C. A.; Ernich, E. L.; Porter, M. D. J. Am. Chem. Soc. 1881, 113, 2808–2610.

(12) Salestara, B.; Coher-Boulaida, J.; Ernering, M.; Rubinerde, I. Longitus 1893, S. 2874-2881.

(23) Tota, J. M.; Jones L.; Polityon, D. L.; Lembe, J. J. S.; Burgin, T. P.; Whiterdes, C. M.; Albara, D. L.; Parikh, A. N.; Aute, S. V. J. Am. Chan. Soc. 1995, J17, 829-9534.

(14) Kwan, W. S. V.; Alenbercka, L.; Müler, L.; L. Langmur 1891, 7, 1415-1426.

(15) Dirinni, A.; Zehner, R. W.; Heing, R. P.; Ouyor-Sionnest, P.; Sira, L. R. J. Am. Chem. Soc. 1998, J18, 2216-3220.

(16) Lee, V. J.; Jeon, T. C.; Pally, W. K.; Kim. K. Langmur 1888, 12, 5230-4697.

(17) Humbirson, J. E.; Pertiethwater, T. A.; Milley, R. W. Langmur 1898, 5, 2277-1283.

(18) Lee, V. J.; Jeon, T. C.; Pally, W. K.; Kim. K. Langmur 1888, 12, 5219-1895.

(17) Humbirson, J. E.; Pertiethwater, T. A.; Milley, R. W. Langmur 1898, 52, 1277-1283.

(18) Teon, Y.-T.; Chang, S. C.; Ma, L. F. J. Chin. Chem. Soc. 1895, 42, 659-688.

(20) Chierg, S.-C.; Chao, L.; Teo, Y.-T. J. Am. Chem. Soc., 1994, 116, 6792-6805.

(21) Wolf, H.; Ringsdorf, H.; Delamerthe, E.; Tekam, T.; Kong, P.; Michel, B.; Gerbor, C.; Jaerike, M.; Bur, H. J.; Bemberg, E. J. Phys. Chem. 1885, 99, 7102-7107.

(22) Chapter, M. A.; Lee, S. L.; Pemberson, J. Z. Langmur 1892, 9763-766. (b) Wills, M.; Dermady, D. L.; Yang, H. C.; Kim, T.; Crocke, M.; M.; Langmur 1896, 12, 1882-1986.

(24) Delamerthe, E.; Michel, B. Thin Schild Rime 1896, 171, 584-50.

(24) Delamerthe, E.; Michel, B. Thin Schild Rime 1896, 171, 584-50.

(25) Weng, A.; Dermady, C.; Schill, C.; Wolff, J. J.; Burch, M. Langmur 1896, 12, 1886-1857.


(26) Carrall, R. L.; Chaldyck, J. S.; Severance, D. L.; Ampondid, N. A.; Mase, D. C. J. Am. Chem. Soc. 1985, 177, 11663-1157.

(27) Carrall, R. L.; Chaldyck, J. S.; Severance, D. L.; Ampondid, N. A.; Mase, D. C. J. Am. Chem. Soc. 1985, 177, 11663-1157.

(27) Carrall, R. L.; Chaldyck, J. S.; Severance, D. L.; Ampondid, N. A.; Mase, D. C. J. Am. Chem. Soc. 1985, 177, 11663-1157.

S0743-7463(97)00098-X CCC: \$14.00 @ 1997 American Chemical Society

#### Structure Brokudon of Thiol Manaleyers



to delineate factors that determine the structural order to delineate incore that determine the structural order. Here the adstribute adstribute interaction is manipulated in two ways. First, along the line of aforemendaned packing promoted by intermolecular attractions, we systematically examine menalayer attractions of the alleys of the number of rings involved and the length of the alleys chain connected to the ring. Second, we perfurb the steric conformation of head groups by inserting one methylene unit in between the anyl and the mercanto group (i.e., compounds II and IV). The results show, for the first time, that the insertion of the mothylene unit can turn M-defined thiophenol manolayers into well-order of SAMs. M-defined thisphenol monolayers into well-ordered SAMs of beneyl mercaptans. In addition, depending on the length of a pare-substituted allowy group, versions at unneral order and packing density were obtained for thingbenol. A simulation model derived by Sellers et al. 10 is adopted to elucidate the discrepancy arising from the insuration of the methylene unit. The different behavior is stuributed to a counterbalance of intermolecular interaction and band angle preference at the sulfur atom (spł versus sp).


#### Experimental Section


Materials. Thisphenol, entry! mercaptan, and bency! mercaptan were obtained from Aldrich and used directly. 4-Methocybonay! meterpus, 4-biphenyl-methonethiol, (4.4 methocybiphenyl-methonethiol), (4.4 methocybiphenyl-methonethiol) and (4.4 (hexadocyboxy)hiphenyl-methonethiol and (4.4 (hexadocyboxy)hiphenyl-methonethiol by this reasonable of corresponding sonthiol were prepared by this reasonable and 4.4 mothocybiphenylithiol were synthetized from corresponding any brounde by metal—nelogon exthenge followed by sulfur quench, 4.4 flixadecyloxy)hiphenylithiol was propered by addition at manethiolate abboticution of the corresponding armaids followed by selective deally letter of the resulting this character.


Prioritie. M. Substrates Propagation. The gold substrates were propagated by vapor deposition of about 200 mm of gold (29.89% purity) onto the ship of deposition of about 200 mm of gold (29.89% purity) onto the ship of the ship of 1 mm/s under a pressure of 9 x 10-17 on using an Univernyo-pumped evaporator. The vectorian chamber was bank-filled with high-purity nitrogen after 45 min siter deposition. The gold substrates were transferred to 8 humans and annealed at 300°C for 4 h. The transferred to 8 humans and annealed at 300°C for 4 h. The struggless factor for substrates meaned under incase condition was estimated to be 1.2 to 12 mm washed with other of incase condition was estimated to be 1.2 to 12 mm washed with other of light before these substrates were immersed in thiel solution. For IR measurement, 2-in silicon wafers were used as the substrate in gold deposition. An adhesion layer of chrimium (5-10 nm) was deposited before gold evaporation.

gold deposition. An advessor layer of chromium, (2-10 pm) was deposited before gold evaporation.

Monolayer Preparation. Thiols with one phenyl ring are dissolved in extranol in a concentration of 1 mM. Compounds







Pignic 1, Cyclic voltamment curves for Au-5-Cilis, Au-5-Cilis on Au-5-Cilis monolayers.

commining two arametic riags are less anhable and were first dissolved in a minimum amount of The, and then exhanol was added to make up the final solution of 0.26 mM. Substrates were immersed in solution by at least 24 h. Samples were washed with the end ethanology endered with a flow of argan gas or spun-dried prior to use.

with THM and ethinolaureessively and aried with a flow of argon gas or spun-dried prior to use.

Electrochemical Measurement. A CV-27 putentister or a 1005 electrochemical Measurement. A CV-27 putentister or a 1005 electrochemical in optic voluments. Systems. West a Lalaystra. No) was used in optic voluments y measurements. A conventional three-electrodecell was used with the area of the working slourode defend by the opening in an inert electrode. Octoing (0.56 cm²). A Pricoli studiesty electrode and an AghgCUS MNAC) reference electrode were used all voltages were recorded with respect to this reference electrode. The supporting slouroly in distilled, detention with respect to this reference electrode with respect to this reference electrode. The supporting slouroly in distilled, detention with respect to this reference electrode with respect to this reference electrode with a 10 nm pass to the experiment. The applied potential was cyclod previous—0.2 and -1.35 V at a stan rate of 100 mV/s with a initial prior rad of -0.2 V.

STM Mosauroments. STM invasirements were certified out with a NameScope II (Digital Instruments, Settle Birchare, CA) using a commercial Prior to or a trungsten tip which was electrochemically suched in 1 M KOH. The images were calibrated by imaging Au(11) or HOPG (righty oriented pyrolytic graphics) in air.

Decade of intrared measurements, ellipsomerry measurements, and compact angle measurements.

#### Results


Electrochemical Measurement. The typical linear sweep volcammente curves for the four series of monosweep volcammente curves for the four series of mono-layers on Au are shown in Figures 1—4. A summery of the desorption peak potentials and calculated auriace coverages is shown in Table 1. In general, the peak on the reductive sam represents the desorption of the monolayer from the gold electrode. The area under the peak relates the number of molecules that were reductively desorbed from the surface as this late assuming a one-electron reduction process? and is directly related to the surface coverage. The peak potential has been shown to surface coverage. The peak potential has been shown to depend on the hydrocarbon chain length of the thiolate depend on the hydrocarous cash length of the thumber and such dependents is suggested to be related to the potential required to establish a potential gradient through the film that induces an ion flux sufficient to support the reduction process. It is noted that for the series II and IV, all the description peaks are rather sharp and wall defined, whether it is unsubstituted or substituted with alkney group of different length. Moreover, the surface

 $5.0 \Rightarrow 0.3 (-1001)$   $8.0 \Rightarrow 0.1 (-1007)$   $7.5 \Rightarrow 0.3 (-1167)$ 

. \$020 Largenuic, Vol. 19, No. 15, 1997

Tao et al.

Table 1. Packing Density (×10<sup>-10</sup> modern<sup>5</sup>) and the Description Potential (mV) in Parentheses of Aramatic-Derivatived
Thick on Evaporated Au Using Electrochemically Reductive Description Method



Rigure 2. Ovdio volumenty out as for Au-S-CH1-CH4 Au-S-CH1-CaH4-O-CH5, and Au-S-CH1-C-H4-O-CH4. consolayers.




Figure 8. Cyclic voltammetry curves for Au-S-CoHi -Colis. Au-S-CoHi -CoHi, -O-CHi, and Au-S-CoHi -CoHi -O-Chi, monolayers.

coverages as calculated from the thes under the peaks are simile irrespendito of the substituent group on the aromatic ring. And the value is also close to that for the saturated o-hexaderanethiolate monalsyer on gold, 7.8 x: 10-16 mol/cmi, equivalent to 21.3 A/molecule. For n-hexaderanethiolate monalsyer, an overlayer of (√3 x //3)780° was shown by various methods, and a perioder hexageanstribiliste numblayer, an overlayer of (<3 × /3)RSO\* was shown by various methods, and a packing density of 7.7 × 10-19 mol/cm² (21.5 Ų/molecule) is expected for such an overlayer. Thus compounds in these two series most likely scrupy a similar lattice as that of hexageanstribulate monolayer. The desorption peak appropriate should a transity more presented should a transity more presented. perendal shows a trend to become more negative with increasing substituent chain length in the came series.
The wand is more significant for the manaphenyl system




Figure 4. Cyclic volumentmenty outves for Au-S-CH,—Cath,—Colla Au-S-CH,—Colla-Cath-O-Chia and Au-S-CH,—Colla-Colla

(~240 mV difference in going from impubilitated or methoxy-substituted to hexadoxyloxy substituted) than the hiphenyl system (~100 mV for the corresponding change). These are consistent with the increasing dif-duction in the approximation of ions absolute the film ductors change). These are consistent with the increasing difficulty in the pensiration of ione through the film during reduction. It has sharter (monophery) system is more sensitive to the addition of shielding layer than the longer (highery) system. The desorption peak potential is also more negative for the biphery) series than the monophery! series, with the came substituent group. The ward again is more significant for short chain (or unsubstituted) derivatives then the long chain derivatives.

On the other hand, for series I sad III, the description peak shapes for the unsubstituted and methoxy-substituted ones are rather broad and ill-defined. More than

peak snapes for the unable-pluted and ineuroxy-substi-nited dies are rather broad and ill-defined. More than one yeak was also observed. Only with the C16-substituted dies a sharper and well-defined dirve was obtained. The packing density depends very much on the obtained. The packing density depends very much on the substituent group on the erometic ring, ranging from 4 4 × 10<sup>-10</sup> mol/cm³ (37.8° ų/molecule) for indophenol to 8.6 × 10<sup>-10</sup> mol/cm³ (25.2° ų/molecule) for indophenol to 8.6 × 10<sup>-10</sup> mol/cm³ (25.2° ų/molecule) for hexadecyloxy-substituted thiophenol. With the biphenyl system, the packing density increases from 5.1 × 10<sup>-10</sup> mol/cm² (25.6° ų/molecule) for the hexadecyloxy-substituted cm² (21.6° ų/molecule) for the hexadecyloxy-substituted cme. Thus for monolayers of satist I and III with X = H, the coverages are only about 50% of that of a full (√3 × √3)R30° monolayer, implying each molecule is occupying a larger crystage area than in the curresponding cass of HendIV. With increasing chainlength of the substituent, the packing becomes denser. It is further noted that the Hend IV. With increasing chain length of the substituent, the packing becomes denier. It is further noted that the desorption peak potentials do not tillier by much between series I and III for the same substituent group, except for the leng chain substituted one. This is in opposite trend as that observed for series II and IV, which could imply that the aromatic groups did not pack well in the accordance to block the flux of tone during the reduction. state to block the flux of ions during the reduction.
Infrared Reflection Absorption Spectra, Reflec-

tion - ebsorption IR spectre of monoisyers of the four series

### Structure Evolution of Thiol Monolayers




Figure 5. Intrared reflection absorption spectra for (a) Au-S-C.H., (b) Au-S-C.H.,-O-C.H., and (b) Au-S-O.H.,-O-C.H., and (c) Au-S-O.H.,-O-C.H., and (c) Au-S-O.H.,-O-C.H., and (c) Au-S-O.H., and (c) Au-S

Table 2, infrared Ring-Spraining Frequency of Aromatic-Derivatized Thiols on Evaporated An and the Shift from Corresponding Value in REr Sample, om-1

	I	п	ш	īv
X = 00'''''''	1472, -6	1494, 0	1475, -5	1488, 2
X = 00H'	1488, -7	2518, 8	1479, -7	1601, 0
X = H	1488, -9	1514, 1	1475, D	1501, 0

of compounds were teken. A representative series (for compound I) as shown in Figure 5. (The others are supplied as Supporting information.) In general, the peak parterns in the C.—Hetretching region are very similar for the same substituted. Thus for C16 substituted case, the peak positions for mathylene stretches (at 2918 and 2850 cm<sup>-1</sup> respectively for II and chitted less than 2 cm<sup>-1</sup> to higher end for the other three series) indicate close packing, if not a perfectly crystalline state of the chains. There are some variations in the relative internaties, which should be dependent on the mact chain tilt and twist. The some variations in the relative intensities, which should be dependent on the exact chain tilt and twist. The methody-substituted mass all scalint the same intensity for v<sub>s</sub>(OCH<sub>3</sub>) at around 3062 cm<sup>-1</sup> and v<sub>s</sub>(OCH<sub>3</sub>) at around 3062 cm<sup>-1</sup>, which is assigned as the aromatic C-H stretch. In the low-frequency region, of particular interest is the peak positions for the ring stretch mode occurring at around 1472-1515 cm<sup>-1</sup> when compared to the KBr spectra of isotropic sample. The stretching frequency of the stronger tring of monolayers I and III on Au shifted to lower values (by 5-9 wavestretching frequency is the gromatic ring or monolayers I and III on Au shifted to lower values (by 5-9 wavenumbers) as compared to that in KBr spectra, except with X=C16 for III, whereas for monolayers of II and IV there is no change or a slightly positive shift in this ringstretching frequency as compared to that in the KBr spectra (Table 2). The implication of these trands will be discussed later.

Lengmetr, Vol. 18, No. 15, 1997 4021

Table 2. Ellipsometric Thickness of Asomana Derivatized Intel Manulayers on Evaporated An (A)

	1	II	Щ	īv
X = 00.0Hz	1.8	2.4	9.4	10.5
	1.8	5.2	. 10.4	13.6
	22.3	25.2	30.6	33.5

Scanning Tunneling Microscopy Measurement, Stanning Tunneling Microscopy Measurement, STM measurements show that the ampailed here gold substrates exhibit smooth plateaus with average size of ce. 50 nm in width. Images obtained on plateaus and terraces are composed of nexagonally dose backed atoms with nearest-neighbor apacing of \$2.50 \times 0.8 A, indicative of Au(11) orienzation. All four agrics of thinks significantly affect the substrates, resulting in morphological facility. affect the substrates, resulting in morphological features

affect the substrates, resulting in morphological features of pits and jagged step edges which are characteristics of calkanethial mimologies on gold. We Because of the concerns of monologyers on gold. We Because of the concerns of monologyers or interfaining with the STM the due to the less conductive long alkyl chains, our report will concentrate on unsubstituted ones (X = 1). For monologyers of benzyl marcaptan (II). STM images always display a highly ordered haxagoral pattern. Figure 6a is a representative image obtained with 2 GO turnaling impedance (a bias voltage and numeling current of 1.0 V and 0.5 nA, respectively). Under this condition, there is no indication of destructive imaging. Only one lattice and 0.5 m. respectively. Chart the condition, there is no indication of destructive imaging. Only one lattice saturate is observed. The unit cell dimension is 4.9  $\pm$  0.1 A and the angle between lattice vectors is 55  $\pm$  5°, consistent with a  $(\sqrt{3} \times \sqrt{3})$ R20° structure. The dark defect shown in the image also exhibits the same lattice and the same lattice where the same lattice is the same lattice. defect shown in the image also exhibits the same lattice parameters which can be seen dearly by adjusting the image contrast. For monolayers of 4-biphonylmethansthiol (IV), the adjust adopte preferentially a ( $\sqrt{5} \times \sqrt{3}$ )R30° structure, although an imassigned local structure is also found. A typical image of the ( $\sqrt{3} \times \sqrt{3}$ )R30° structure is presented in Figure 5b, which was obtained with 1 GO tunneling impedence. We notice that the imaging quality of series IV is, in general, not as decent as that of being) increaption (II). The prigin of this difference is probably crising from the fact that the tunneling barrier of IV monolayers is an aryl ring thicker than those of II. than those of II.

In contrast, for monoleyers of series I and III with X  $\cong$  and OCHs, neither periodic pattern nor molecularly resolved images are observed, coherent with the finding of a previous STM study by Dhirami et al. In the trees of (bexaderylings) phenyithici (I with OC<sub>16</sub>Hi<sub>22</sub>), we observed a  $(\sqrt{3} \times \sqrt{3})$ 23C overlayer in only a few occasions. The domain size is as small as (2, 4) nm. The film structure appears predominantly disordered.

Ellipsometric Thickness Mossurement. The allipsometric thicknesses of those monoleyers are collected ipsomerric thicknesses of these monoeyers are opticated in Table S. Qualitatively, the benayl mercaptan derivatives (H and IV) are thicker, when compared with thiopherol enalogues (I and III), presumably because of the additional CH2 unit in the benayl marcaptan system. The bipbenyl systems (III and IV) are also thicker when

<sup>(31)</sup> Sandroff E. J. (Harschasen, D. R. J. Phys. Cham. 1982, 86, 3277~


<sup>(2) (</sup>a) Kim, Y.-T.; Burd, A. J. Langmar 1892, 6, 1036-1102, (b) McCarley, R. L.; Durnawdy, D. J.; William, R. L. Langmar 1993, 2775-2777, (c) Petrier, G. E.; Tarlov, M. J., Langmar 1994, J. 2.55, 2646, (d) Sandageliaethetta J. A. M.; Schotenberger, C.; Fokkink, L. G. J. J. Phys. Chem. 1894, 98 6836-6554.

(c) J. J. Phys. Chem. 1894, 98 6836-6554.

(c) We have observed a local structure exhibiting stripe medicals maring paralage and line defects. The restricted gliber spectage along two patients of and line defects. The restricted of the spectage between the venture at 5, 0.0 d. 0.4 and 6,0.0 c.3. A and the angle between the venture at 6.00 c.3. A and the angle between the venture is 88 ± 7°. Although the petturn looke like a retaingular of x 4's estimate, the area of the unit cell is no small seatists bishoppy indeed, 6.5 the present time we are not obtain to exhibit

4022 Langmutt, Vol. 12, No. 15, 1997

Teo et al. .






Figure 6. Unfiltered 5TM images of (a) Au-S-CH<sub>2</sub>-C<sub>2</sub>H<sub>1</sub> (image size 8 x 8 nm,  $t_1$ =0.5 nA,  $t_2$ =1.0 V, nearest-neighbor specing 4.9 ± 0.1 Å) (b) Au-S-CH<sub>2</sub>-C<sub>2</sub>H<sub>2</sub>-C<sub>2</sub>H<sub>3</sub> (image size 8 x 8 nm,  $t_3$ =0.5 nA,  $t_3$ = 500 mV, nearest-neighbor specing 4.9 ± 0.3 Å)

Table 4. Contact Angle (deg) of K<sub>1</sub>O on the Aromatic-Deriverized Tidol Monolayers on Evaporated Au

	X	_	п	भा	īv
X=H X=DCH <sub>0</sub> X=OCyphu	70 88 109		63 64 112	50 112	. 89 66 111

compared with monophenyl analogues (I and II), as one would expect for the additional phenyl group in the biphenyl system. However, in an absolute sense, the observed thicknesses for the unsubstituted or short-chain substituted ones are thinner rinn the expected value from the dispension of the molecules involved. Furthermore, the difference between each series to more than the the dimension of the molecules involved. Furthermore, the difference between each series is more than ther expected for the group involved (1.4 Å for a CH; group and 7 Å for a phonyl group). These may be due to the uncertainty essociated with ellipsopperry moneurement (index of refraction, surface contamination on "bare" gold ...) as well as different packing density in each series, as evidenced by the electrochemical data. The ellipsometry data here can any serve as a qualitative cupport of the "monolayer" nature of the absorbed film.

Contact Anelo Messurement. Water contact angle

"monolayer" nature of the adsorbed num.

Contact Angle Measurement. Water annual angle values are reported in Table 4. "It can be seen that the water contact angles an II and IV monolayers are higher than those on the analogues in I and III, but the difference decreases with increasing the length of X. While it can be argued that as the substituent chain length increases, the contact angle is less applied in the increases. the contact angle is less sensitive to the underlying substrate. It could also imply that the difference in the structure between I and II (or III and IV) diminishes as X increases in chain length.

#### Discussion

The data appear to fell into two estegaries. The first category includes beneyl mercaptons (II) and 4-hiphenylmschanethiols (IV), both of which have a CH; unit between the third head group and the aromatic ring. They give well-defined cyclic voltamineary behavior in that the reductive wave is sharp and more uniform. The coverages correspond well to that of a close-packed realkanstition monoleyer. These adscriptes are expected to have a packing scheme similar to that of the malkanethiol. i.e., (~3 x /3)RSO\* overlayer, as also evidenced by STM

measurements. The second estegary includes thiophenols and biphenythiols. In contrast with bereyl meresptan, both thiophenol and p-methenythiophenol gave a rather hroad description peak and low surface coverage, which implies a rather fil-defined film structure and lower reaching density. This is in terracons which the contract that t packing density. This is in agreement with STM observations and literature reports 12.11 that thiophanol forms poor monalevers. 24

The discrepancy between these two categories shows. The discrepancy between these two categories shows the significance of the inserted methylens unit. For compared containing the methylens unit, II and IV, the  $(\sqrt{3} \times \sqrt{3})$ RS0° lattice structure suggests the herringbone of the categories and the containing the containing the categories. (~3 × ~3)R30° lattice structure suggests the herringbone packing of phonyl or biphenyl moticies. Considering the dimension of the phenyl ring, 2° a herringbone packing will require the aromatic planes orienting nearly vertical to the gold curiace. 1° This geometry was also suggested for adsorption of dibenzyl disulfide on either, 2° where the phenyl ring is "stuking up". For compounds without the phenyl ring is "stuking up". For compounds without the phenyl ring is stuking up ". For compounds without the frequency of the ring stretch mode region (from 1472 to 1515 cm ") are similar to that observed in the adsorption of diphenyl disulfide on silver, 3° where a "lying-flat" geometry was proposed based on Raman spectroscopy. This negative shift suggests that the long axis of the benzene ring (the one passing through X and 5) for compounds I and III is inclined toward the gold surface. This tift creates strate hindrance which would occupy a compounds I and III is inclined toward the gold surface. This tilt creates storic hindrance which would occupy a larger space and diminish intermolecular attractors between neighboring planty rings, and thus results in a pourly defined monolayer. Given the recemblance of these compounds, the methylene unit is an intriguing factor in orienting the phenyl ring vertical to the surface.

The original releases the methylene unit can be illustrated.

The critical role of the methylene unit can be flustrated by an S-At binding schame modeled by the quantum calculations of Sellers et al. who proposed sp and splaybridization with surface—S-C bond angles of 160° and 104', respectively. In the case of saturated n-alkanathial on Au(111), the trend in the odd-even effect observed in

<sup>[34]</sup> It is noted that a different conclusion was obtained for hiphan-yields from election currents with mobile them. It is also noted in the sum work that surface coverage mobile commits by ac imposance and gold mode removal on a monolover-covered surface indicates that higherylithal behaved more like thisphenel than temphanylithal to the monologue assembling.

(35) van der Wante committee of a verdically engread phonylithal are 5.4 A (width) × 3.5 A (trackness).

Spruceurs Spolution of Tital Manaleyers




Figure 7. Possible orientation of monolayers of (a) this phonol and (b) benzyl marraptan derivatives on gold,:

IR.4.7.10 which reflecting the orientation of the terrainal mathyl group, clearly implies a profesence of sp<sup>0</sup> hybridization in the sulfur atom (or a bent Au-5-C bond angle) ization in the sulfur atom (or a bern Au-S-C bond engle) and a trans rigzag extension of the alloyi chain. A linear Au-S-C bond angle (or so hybridization) has been invoked to rationalize a reversed trand in the odd-even effect observed on Ag 110. In the case of compounds I and III with X = H and OCHs, the tilt orientation of phenyl ring implies that sp' hybridization is more favorable than sp hybridization (Figure 7a). For compounds II and IV, in order to adopt the close-packed ( $\sqrt{3} \times \sqrt{3}$ )RSO in order to adopt the close-packed ( $\sqrt{3} \times \sqrt{3}$ )RSO extremite, g bond angle of C-S-Au is required. Consequently, sp' hybridization appears to be the favorable one for compounds II and IV as well (Figure 7 b). In either category, the S atom atoms sp' hybridization when X = H or OCHs. Therefore, the insertion of a methylene unit can relax the rigidity of the thol head group and lead to can relax the rigidity of the thiol head group and lead to

a strongs: intermolecular intersection.

For compounds I and III with a long chain substituent, Por compounds I and III with a long chain substituent, such as a haraderyl group, the electrochemics! behavior it approaching that of the bennyl necroprient. The same, IR pattern in the CH stratching region also implies similar packing unit crientation in the long allyl chain portion. This would compal the long exis of the benzene ring to point nearly perpendicular to the surface. This is achieved by a greater surface—S—C bond angle or, equivalently, the adoption of sp hybridization at the sulfur atom, with anergy compensated by a greater interchein interaction. energy companiesed by a greater interchein interaction,

Langmuir, Vol. 13, No. 15, 1897, 4023

#### Conclusions .

It is shown in this study that for phenyl-substituted thicks, the structure of a monshayer farmed on gold is dependent on the location of the aromatic ring. With a methylene unit inserted between the phenyl ring end the thich head group, a closely packed and ordered monolayer of (~3 x ~3)PSO structure can be farmed. The substituent at the para-position increases the interchain mutation but does not change grossly the packing density and/or arrangement. With a thick group directly attached to the aromatic ring, the para-substituent affacts the packing in the monolayer. In the absence of a substituent or in the presence of a short chain, a less densely packed monolayer with coverage as low as 60% of that of a fully packed monolayer can result. A longer chain introduces greater interchain interaction and results in a higher enverage. The difference between these two categories of thicks is suggested to be a balance of the interchain interaction and the binding grometry adopted at the thickness that the bencyl-type thicks to errange the arminatic rings and the bencyl-type thicks to errange the arminatic rings and the bencyl-type thicks to grow the traction of the property and packed as a surface of the bencyl-type thicks to errange the arminatic rings and the bencyl-type thicks to errange the arminatic rings and the content of the property and packed. It is shown in this study that for phenyl-substituted allows the benzyl-type thiels to errange the armatic rings into a well-ordered parking but prohibit the thiophenol-type molecules to errange their arguments moiety. With a larger substituent at the para-position, greater packing interaction causes a change of bond angle (or a change of hybridization) to allow a tighter packing of the rings.

Adenowledgment Financial support from National Science Council, Republic of China, is gratefully adenowledges the Chemistry Department of National Sun Yat-sen University for a generous starting fund

Supporting Information Available: Process of in-frared refraction absorbance specims for H-IV more pages). Ordering information is given at any content marriand pages).

1.49700984



RECEIVED Central fax center AUG 0 3 2005



## **Deposit Account Statement**

Requested Statement Month:

Deposit Account Number: Name:

Attention:

Address:

City:

State: Zip:

Country:

July 2005

082395

HITT GAINES, PC.

PO BOX 832570

RICHARDSON

TX 75083

UNITED STATES OF AMERICA

DATE SEQ POSTING REF TXT	ATTORNEY DOCKET NBR	FEE CODE	AMT	BAL
07/08 314 60696583	SEYC-0001PV	2005	\$100.00	£3.404.00
07/11 126 10379147	REITH	1401	\$500.00	\$3,424.00
07/11 292 11143803	A. LANDSCHAFT 7-7-7		\$20.00	\$2,924.00
	= *************************************	1801	\$790.00	\$2,904.00
07/12 265 0139250572	FSC-0014PH	8014	\$25.00	\$2,114.00
07/13 41 E-REPLENISHMENT		9203		\$2,089.00
07/13 116 10323370	ERBEN 3-48-3	1806		\$4,589.00
07/14 17 10875015	D. GILL 15-36	8007	\$180.00	\$4,409.00
07/14 313 11178944	A.LANDSCHAFT 9-1	1011	\$20.00	\$4,389.00
07/14 314 11178944	A.LANDSCHAFT 9-1	1111		\$4,089.00
07/14 315 11178944	A.LANDSCHAFT 9-1	1311	\$500.00	\$3,589.00
07/14 316 11178944	A.LANDSCHAFT 9-1	1202	\$200.00	\$3,389.00
07/19 177 10405398	10/405398	_	\$250.00	\$3,139.00
07/21 287 09626943	KIZILYALLI 50-23	1801 1402	\$790.00	\$2,349.00
<b>√07/22 1 10727709</b>			\$500.00	\$1,849.00
07605 0 40000000	POPALITATION A	1801	\$790.00	\$1,059.00
07/25 4 E-REPLENISHMENT	_	1801		\$269.00
07/00 50 00050444	A4 AAA	9203		\$2,769.00
07.07 40		1251		\$2,649.00
07/07 04	0.000	8007		\$2,629.00
07/28 6 E-REPLENISHMENT		1401		\$2,129.00
07/00 40		9203	-\$2,500.00	
07700	C = 1.10	1801		\$3,839.00
07/00 0	BENIO COST	2201		\$3,739.00
07/20 000 000000	41041 041	2202		\$3,589.00
	AVYA-04JP	3007	\$20.00	\$3,569.00
START	SUM OF	SUM OF	END	

AUG. 3. 2005 6:01PM HITT GAINES 9724808865

NO. 1639 P. 17 Page 2 of 2

BALANCE

CHARGES

REPLENISH BALANCE

\$3,524.00

\$7,455.00

\$7,500.00 \$3,569.00

Need Help? | USPTO Home Page | Finance Online Shopping Page

AUG. 3. 2005 5:56PM

HITT GAINES 9724808865

NO. 1639 P. 1

PATE: THE SECOND

795 118 - 7 HITT GAINES, P.C. Intellectual Property Law & Related Matters

RECEIVED CENTRAL FAX GERTER

AUG 03 2005

US PATENTE C THE DEMANTAL OFFICE:

FACSIMILE TRANSMISSION

TO:

USPTO

Examiner Waising Louie; Art Unit 2814

FAX NO.

(571) 273-8300

FROM:

Ronald J. Corbett

RE:

Serial No.: 10/727,709

Attorney Docket No.: BAO 39

LUCT-125888

DATE:

June 30, 2005

PAGES:

17 (including cover page)

If you do not receive the indicated number of pages, please notify the sender at the telephone number shown below. Thank you.

THE INFORMATION CONTAINED IN THIS FACSIMILE TRANSMISSION IS AN ATTORNEY-CLIENT PRIVILEGED, CONFIDENTIAL COMMUNICATION INTENDED FOR THE EXCLUSIVE USE OF THE INTENDED RECIPIENT NAMED ABOVE. IF YOU ARE NOT THE INTENDED RECIPIENT, OR ARE ANEMPLOYED FOR AGENT RESPONSIBLE FOR DELIVERING THIS TRANSMISSION TO THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISSEMINATION, DISTRIBUTION OR COPYING OF THIS TRANSMISSION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS TRANSMISSION IN HEROR, PLEASE NOTIFY THE SENDER IMMEDIATELY AT THE TELEPHONE NUMBER SHOWN BELOW AND MAIL THE ORIGINAL TRANSMISSION TO THE ADDRESS EELOW. WE WILL REIMBURSE YOU FOR ANY REASONABLE EXPENSE YOU MAY INCUR DOING SO. THANK YOU.

#### MESSAGE:

Please send fax confirmation to: 972-480-8865

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS
IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☑ SKEWED/SLANTED IMAGES
COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
□ other.

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.